ELSEVIER

Neuroscience Letters 249 (1998) 183–185

Neuroscience Letters

Author Index to Volume 249

Abdullah, L., see Crawford, F., 115
Akiyama, K., see Sutoo, D., 9
Anne Stirland, J., see Lucas, R.J., 147
Arango, P.M., see Maynard, K.I., 159
Arata, A., see Miyazaki, M., 61
Arenas, J., see Jiménez-Jiménez, F.W., 65
Arvanitis, S., see Micheloyannis, S., 167
Austin, L., see Kurek, J.B., 1

Bail, X.-F., see Xiao, B.-G., 17
Balschun, D., Wetzel, W., Inhibition of group I metabotropic glutamate receptors blocks spatial learning in rats, 41
Belaïch, A., see Matarazzo, V., 87
Bennett, T.M., see Kurek, J.B., 1
Blok, B.F.M., van Maarseveen, J.T.P.W., Holstege, G., Electrical stimulation of the sacral dorsal gray commissure evokes relaxation of the external urethral sphincter in the cat, 68
Bourkas, M., see Micheloyannis, S., 167
Bower, J.J., see Kurek, J.B., 1
Bowery, N.G., see Meoni, P., 45
Bunnemann, B.H., see Meoni, P., 45

Cagampang, F.R.A., see Lucas, R.J., 147
Castellano-Millán, F., see Jiménez-Jiménez, F.W., 65
Cau, P., see Gastaldi, M., 53
Chan, P.K.Y., Yung, W.-H., Occlusion of the presynaptic action of cannabinoids in rat substantia nigra pars reticulata by cadmium, 57
Chen, D., see Maynard, K.I., 159
Chen, J., see Cobbs, C.S., 79
Chung, S., Lee, M.-Y., Soh, H., Jung, W., Joe, E., Modulation of membrane potential by extracellular pH in activated microglia in rats, 139
Clément, J.-L., see Matarazzo, V., 87
Cobbs, C.S., Chen, J., Greenberg, D.A., Graham, S.H., Vascular endothelial growth factor expression in transient focal cerebral ischemia in the rat, 79
Coen, C.W., see Lucas, R.J., 147
Crawford, F., Fallin, D., Suo, Z., Abdullah, L., Gold, M., Gauntlett, A., Duara, R., Mullan, M., The butyrylcholinesterase gene is neither independently nor synergistically associated with late-onset AD in clinic- and community-based populations, 115

de Andrés, C., see Jiménez-Jiménez, F.W., 65
de Bustos, F., see Jiménez-Jiménez, F.W., 65
de Salamanca, R.E., see Jiménez-Jiménez, F.W., 65
Duara, R., see Crawford, F., 115
Duch, D.S., see Frenkel, C., 131

Elde, R., see Kshirsagar, T., 83
Erb, C., Klein, J., Enhancement of brain choline levels by nicotinamide: mechanism of action, 111
Ezure, K., see Miyazaki, M., 61

Fallin, D., see Crawford, F., 115
Fountoulakis, E., see Micheloyannis, S., 167
Frenkel, C., Weckbecker, K., Wartenberg, H.C., Duch, D.S., Urban, B.W., Blocking effects of the anaesthetic etomidate on human brain sodium channels, 131
Fritschy, J.-M., Johnson, D.K., Mohler, H., Rudolph, U., Independent assembly and subcellular targeting of $GABA_A$-receptor subtypes demonstrated in mouse hippocampal and olfactory neurons in vivo, 99
Fujibayashi, Y., see Murata, T., 155

Gabriel, S., Kivi, A., Kovacs, R., Lehmann, T.-N., Lanksch, W.R., Meencke, H.J., Heinemann, U., Effects of barium on stimulus-induced changes in $[K^+]_o$ and field potentials in dentate gyrus and area CA1 of human epileptic hippocampus, 91
Gasalla, see Jiménez-Jiménez, F.W., 65
Gastaldi, M., Robaglia-Schlupp, A., Massacrier, A., Planells, R., Cau, P., mRNA coding for voltage-gated sodium channel $\beta 2$ subunit in rat central nervous system: cellular distribution and changes following kaïnate-induced seizures, 53
Gauntlett, A., see Crawford, F., 115
Gold, M., see Crawford, F., 115
Gong, Q.-L., see Peng, Y.-J., 95
Graham, S.H., see Cobbs, C.S., 79
Greenberg, D.A., see Cobbs, C.S., 79
Groves, P.M., see Veinbergs, I., 71

Hayashi, M., see Ishio, S., 143
Heaton, M.B., see Moore, D.B., 25
Hedlund, G., see Xiao, B.-G., 17
Heinemann, U., see Gabriel, S., 91
Heinonen, E., see Pirttilä, T., 21
Hernández, A., see Pérez, H., 37
Hillhouse, E.W., Kida, S., Iannotti, F., Middle cerebral artery occlusion in the rat causes a biphasic production of immunoreactive interleukin-1β in the cerebral cortex, 177
Holstege, G., see Blok, B.F.M., 68
Honey, C.R., Shen, H., Circling behaviour in 6-hydroxydopamine-lesioned rats given pulsed levodopa is reduced more by lesions in the entopeduncular nucleus/substantia nigra pars reticulata than in the subthalamic nucleus, 151

Iannotti, F., see Hillhouse, E.W., 177
Ide, C., see Kikukawa, S., 135
Ilyasov, F.E., see Vulfius, C.A., 5
Isaki, K., see Murata, T., 155
Ishio, S., Yamada, H., Hayashi, M., Yatsushiro, S., Noumi, T., Yamaguchi, A., Moriyama, Y., D-Aspartate modulates melatonin synthesis in rat pinealocytes, 143

PII S0304-3940(98)00459-5

Jiménez-Jiménez, F.W., de Bustos, F., Molina, J.A., de Andrés, C., Gasalla, T., Ortí-Pareja, M., Zurdo, M., Porta, J., Castellano-Millán, F., Arenas, J., de Salamanca, R.E., Cerebrospinal fluid levels of alpha-tocopherol in patients with multiple sclerosis, 65
Joe, E., see Chung, S., 139
Johnson, D.K., see Fritschy, J.-M., 99
Joller, H., see Stahel, P.F., 123
Jones, P.A., Smith, R.A., Stone, T.W., Nitric oxide synthase inhibitors L-NAME and 7-nitroindazole protect rat hippocampus against kainate-induced excitotoxicity, 75
Jung, M.W., see Veinbergs, I., 71
Jung, W., see Chung, S., 139

Kato, K., see Toyoshima, I., 103
Katsuura, G., see Satoh, N., 107
Kawaguchi, N., see Ohtani, Y., 163
Kawaguchi, S., see Kikukawa, S., 135
Kida, S., see Hillhouse, E.W., 177
Kikukawa, S., Kawaguchi, S., Mizoguchi, A., Ide, C., Koshinaga, M., Regeneration of dorsal column axons after spinal cord injury in young rats, 135
Kilkku, O., see Pirttilä, T., 21
Kim, K.S., see Pirttilä, T., 21
Kivi, A., see Gabriel, S., 91
Klein, J., see Erb, C., 111
Koivisto, K., Mehta, P.D., Reinikainen, K., Kim, K.S., Kilkku, O., Heinonen, E., Soininen, H., Riekkinen Sr, P., Wisniewski, H.M., Longitudinal study of cerebrospinal fluid amyloid proteins and apolipoprotein E in patients with probable Alzheimer's disease, 21
Koivisto, K., see Pirttilä, T., 21
Koshinaga, M., see Kikukawa, S., 135
Kossmann, T., see Stahel, P.F., 123
Kovacs, R., see Gabriel, S., 91
Krasts, I.V., see Vulfius, C.A., 5
Kshirsagar, T., Nakano, A.H., Law, P.-Y., Elde, R., Portoghese, P.S., NTI4F: a non-peptide fluorescent probe selective for functional delta opioid receptors, 83
Kurek, J.B., Bennett, T.M., Bower, J.J., Muldoon, C.M., Austin, L., Leukemia inhibitory factor (LIF) production in a mouse model of spinal trauma, 1

Lanksch, W.R., see Gabriel, S., 91
Laurido, C., see Pérez, H., 37
Law, P.-Y., see Kshirsagar, T., 83
Lee, M.-Y., see Chung, S., 139
Lehmann, T.-N., see Gabriel, S., 91
Li, P., see Peng, Y.-J., 95
Link, H., see Xiao, B.-G., 17
Loudon, A.S.I., see Lucas, R.J., 147
Lucas, R.J., Cagampang, F.R.A., Loudon, A.S.I., Anne Stirland, J., Coen, C.W., Expression of vasoactive intestinal peptide mRNA in the suprachiasmatic nuclei of the circadian *tau* mutant hamster, 147

Masamune, O., see Toyoshima, I., 103
Masliah, E., see Veinbergs, I., 71
Massacrier, A., see Gastaldi, M., 53
Masuzaki, H., see Satoh, N., 107
Matarazzo, V., Tirard, A., Renucci, M., Belaïch, A., Clément, J.-L., Isolation of putative olfactory receptor sequences from pig nasal epithelium, 87
Matsui, A., see Sutoo, D., 9
Maynard, K.I., Arango, P.M., Chen, D., Ogilvy, C.S., Acetylsalicyclate administered during simulated ischemia reduces the recovery of neuronal function in the in vitro rabbit retina, 159
Meencke, H.J., see Gabriel, S., 91
Mehta, P.D., see Pirttilä, T., 21
Meoni, P., Bunnemann, B.H., Trist, D.G., Bowery, N.G., N-terminal splice variants of the NMDAR1 glutamate receptor subunit: differential expression in human and monkey brain, 45
Micheloyannis, S., Stam, C.J., Fountoulakis, E., Bourkas, M., Arvanitis, S., Papanikolaou, E., Use of non-linear EEG analysis to study abnormal brain dynamics in deaf human subjects, 167
Minami, M., see Ohtani, Y., 163
Miyazaki, M., Arata, A., Tanaka, I., Ezure, K., Activity of rat pump neurons is modulated with central respiratory rhythm, 61
Mizoguchi, A., see Kikukawa, S., 135
Mohler, H., see Fritschy, J.-M., 99
Molina, J.A., see Jiménez-Jiménez, F.W., 65
Moore, D.B., Quintero, M.A., Ruygrok, A.C., Walker, D.W., Heaton, M.B., Prenatal ethanol exposure reduces parvalbumin-immunoreactive GABAergic neuronal number in the adult rat cingulate cortex, 25
Morganti-Kossmann, M.C., see Stahel, P.F., 123
Moriyama, Y., see Ishio, S., 143
Muldoon, C.M., see Kurek, J.B., 1
Mullan, M., see Crawford, F., 115
Murata, T., Waki, A., Omata, N., Fujibayashi, Y., Sadato, N., Yano, R., Yoshimoto, M., Isaki, K., Yonekura, Y., Dynamic changes in glucose metabolism by lactate loading as revealed by a positron autoradiography technique using rat living brain slices, 155

Nakano, A.H., see Kshirsagar, T., 83
Nakao, K., see Satoh, N., 107
Nardone, A., Schieppati, M., Medium-latency response to muscle stretch in human lower limb: estimation of conduction velocity of group II fibres and central delay, 29
Nishiyori, A., see Ohtani, Y., 163
Noda, M., see Yamagata, M., 33
Noumi, T., see Ishio, S., 143
Numata, Y., see Satoh, N., 107

Ogawa, Y., see Satoh, N., 107
Ogilvy, C.S., see Maynard, K.I., 159
Ohtani, Y., Minami, M., Kawaguchi, N., Nishiyori, A., Yamamoto, J., Takami, S., Satoh, M., Expression of stromal cell-derived factor-1 and CXCR4 chemokine receptor mRNAs in cultured rat glial and neuronal cells, 163
Omata, N., see Murata, T., 155
Ortí-Pareja, M., see Jiménez-Jiménez, F.W., 65

Papanikolaou, E., see Micheloyannis, S., 167
Pedemonte, M., see Torterolo, P., 172
Peng, Y.-J., Gong, Q.-L., Li, P., $GABA_A$ receptors in the rostral ventrolateral medulla mediate the depressor response induced by stimulation of the greater splanchnic nerve afferent fibres in rats, 95
Pérez, H., Ruiz, S., Laurido, C., Hernández, A., Locus coeruleus-mediated inhibition of chemosensory responses in the rat nucleus tractus solitarius is mediated by α_2-adrenoreceptors, 37
Pirttilä, T.,
Planells, R., see Gastaldi, M., 53

Porta, J., see Jiménez-Jiménez, F.W., 65
Portoghese, P.S., see Kshirsagar, T., 83

Quintero, M.A., see Moore, D.B., 25

Rees, K.R., see Young, A.M.J., 49
Reinikainen, K., see Pirttilä, T., 21
Renucci, M., see Matarazzo, V., 87
Riekkinen Sr, P., see Pirttilä, T., 21
Robaglia-Schlupp, A., see Gastaldi, M., 53
Rudolph, U., see Fritschy, J.-M., 99
Ruiz, S., see Pérez, H., 37
Ruygrok, A.C., see Moore, D.B., 25
Ryazansky, V.D., see Vulfius, C.A., 5

Sadato, N., see Murata, T., 155
Satoh, M., see Ohtani, Y., 163
Satoh, N., Ogawa, Y., Katsuura, G., Numata, Y., Masuzaki, H., Yoshimasa, Y., Nakao, K., Satiety effect and sympathetic activation of leptin are mediated by hypothalamic melanocortin system, 107
Schieppati, M., see Nardone, A., 29
Schlösser, B., ten Bruggencate, G., Sutor, B., The intracellular tracer Neurobiotin alters electrophysiological properties of rat neostriatal neurons, 13
Shen, H., see Honey, C.R., 151
Smith, R.A., see Jones, P.A., 75
Soh, H., see Chung, S., 139
Soininen, H., see Pirttilä, T., 21
Stahel, P.F., Kossmann, T., Joller, H., Trentz, O., Morganti-Kossmann, M.C.,Increased interleukin-12 levels in human cerebrospinal fluid following severe head trauma, 123
Stam, C.J., see Micheloyannis, S., 167
Stone, T.W., see Jones, P.A., 75
Sugawara, M., see Toyoshima, I., 103
Suo, Z., see Crawford, F., 115
Sutoo, D., Akiyama, K., Matsui, A., Gastric ulcer formation in cold-stressed mice related to a central calcium-dependent-dopamine synthesizing system, 9
Sutor, B., see Schlösser, B., 13

Takahashi, H., see Wakabayashi, K., 180
Takami, S., see Ohtani, Y., 163
Tanaka, I., see Miyazaki, M., 61
ten Bruggencate, G., see Schlösser, B., 13
Tirard, A., see Matarazzo, V., 87
Torterolo, P., Zurita, P., Pedemonte, M., Velluti, R.A., Auditory cortical efferent actions upon inferior colliculus unitary activity in the guinea pig, 172
Toyoshima, I., Kato, K., Sugawara, M., Wada, C., Masamune, O., Kinesin accumulation in chick spinal axonal swellings with β,β'-iminodipropionitrile (IDPN) intoxication, 103
Trentz, O., see Stahel, P.F., 123
Trist, D.G., see Meoni, P., 45
Tsuji, S., see Wakabayashi, K., 180

Urban, B.W., see Frenkel, C., 131

van Maarseveen, J.T.P.W., see Blok, B.F.M., 68
Van Uden, E., see Veinbergs, I., 71
Veinbergs, I., Jung, M.W., Young, S.J., Van Uden, E., Groves, P.M., Masliah, E., Altered long-term potentiation in the hippocampus of apolipoprotein E-deficient mice, 71
Velluti, R.A., see Torterolo, P., 172
Vulfius, C.A., Ryazansky, V.D., Krasts, I.V., Ilyasov, F.E., Intracellular Ca^{2+} modulates Cl^- current evoked by acetylcholine in *Lymnaea* neurons, 5

Wada, C., see Toyoshima, I., 103
Wakabayashi, K., Yoshimoto, M., Tsuji, S., Takahashi, H., α-Synuclein immunoreactivity in glial cytoplasmic inclusions in multiple system atrophy, 180
Waki, A., see Murata, T., 155
Walker, D.W., see Moore, D.B., 25
Wartenberg, H.C., see Frenkel, C., 131
Weckbecker, K., see Frenkel, C., 131
Wetzel, W., see Balschun, D., 41
Wiesenfeld-Hallin, Z., see Xu, I.S., 127
Wisniewski, H.M., see Pirttilä, T., 21

Xiao, B.-G., Bail, X.-F., Zhang, G.-X., Hedlund, G., Link, H., Linomide-mediated protection of oligodendrocytes is associated with inhibition of nitric oxide production and IL-1β expression in Lewis rat glial cells, 17
Xu, I.S., Wiesenfeld-Hallin, Z., Xu, X.-J., [Phe1Ψ(CH_2-NH)Gly^2]-nociceptin-(1-13)NH_2, a proposed antagonist of the nociceptin receptor, is a potent and stable agonist in the rat spinal cord, 127
Xu, X.-J., see Xu, I.S., 127

Yamada, H., see Ishio, S., 143
Yamada, K.A., AMPA receptor activation potentiated by the AMPA modulator 1-BCP is toxic to cultured rat hippocampal neurons, 119
Yamagata, M., Noda, M., The winged-helix transcription factor CWH-3 is expressed in developing neural crest cells, 33
Yamaguchi, A., see Ishio, S., 143
Yamamoto, J., see Ohtani, Y., 163
Yano, R., see Murata, T., 155
Yatsushiro, S., see Ishio, S., 143
Yonekura, Y., see Murata, T., 155
Yoshimasa, Y., see Satoh, N., 107
Yoshimoto, M., see Murata, T., 155
Yoshimoto, M., see Wakabayashi, K., 180
Young, A.M.J., Rees, K.R., Dopamine release in the amygdaloid complex of the rat, studied by brain microdialysis, 49
Young, S.J., see Veinbergs, I., 71
Yung, W.-H., see Chan, P.K.Y., 57

Zhang, G.-X., see Xiao, B.-G., 17
Zurdo, M., see Jiménez-Jiménez, F.W., 65
Zurita, P., see Torterolo, P., 172